

歐品電子(昆山)有限公司

OUPIN ELECTRONIC(KUNSHAN) CO.,LTD.

PACKAGING SPECIFICATION (包 裝 作 業 規 范)

CONFIDENTIAL

TOP SECRET

PAGE	1/4	REV.	A
PACKAGING CATEGORY (包裝方式)		TRAY PLATE PACKING	

SPEC.NO.(規範編號)	Q9192SPP-1308		
APPLICABLE CUSTOMER (適用客戶)	ALL	APPLICABLE PRODUCT (適用產品)	9192-BBAB017

REVISION HISTORY (修 訂 履 歷)

REV. \ ECN NO	PAGE (頁 次)								
	1	2	3	4					
A	New (新版)								

DIVISION (事業單位)	Product Development (產品開發課)	APPROVED (核 准)		CHECKED (審 核)	PE: DE:		PREPARED (制 表)	XS 01/05'23
--------------------	----------------------------------	-------------------	--	------------------	------------	--	-------------------	-------------


歐品電子(昆山)有限公司

OUPHIN ELECTRONIC(KUNSHAN) CO.,LTD.

PACKAGING SPECIFICATION (包 裝 作 業 規 范)

☒ CONFIDENTIAL ☐ TOP SECRET	
PAGE	2/4
REV.	A

SPEC.NO.(规范编号) Q9192SPP-1308

PACKING OPERATION DIAGRAM & INSTRUCTION (包装作业图示及说明)	REMARK (备注)
Laying Product Diagram: (产品摆放图示)  PET-9192-016	一.PET Plate Packing Mode: (PET盘包装方式) (1).CT-0.5 Box:PET-9192-016 XX PCS. (CT-0.5 规格的纸箱放盘PET-9192-016 XX PCS) (2).Put product in each trough fully as shown in diagram. (产品在盘子中摆放方式如图所示)

歐品電子(昆山)有限公司

OUPIN ELECTRONIC(KUNSHAN) CO.,LTD.

PACKAGING SPECIFICATION (包裝作業規範)

☒ CONFIDENTIAL ☐ TOP SECRET

SPEC.NO.(規範編號) Q9192SPP-1308

PAGE



3/4

REV.

A

PACKING OPERATION DIAGRAM & INSTRUCTION (包裝作業圖示及說明)

REMARK (備 注)



Drawing Three
(圖三)

一.Outer Box Packing Mode: (外箱包裝方式)

- (1).Paper box 0.5 standard 1 PCS,as shown in drawing Two.
(紙箱0.5規格 1 PCS:如(圖二)所示)
- (2).Put one EPE in the upper and lower of the paper box,,2PCS in all,as shown in drawing One.
(每箱上下各放一塊珍珠棉,共2PCS,如(圖一)所示)
- (5).Seal the waterproof bag,then put the EPE 1PCS on the bag.
(Put 1 PCS EPE at the right and left side in the paper box if it is necessary.)
(封上防水袋,然後放上第二塊珍珠棉)
(必要時,在紙箱的左右兩側各放一塊珍珠棉)
- (6).Seal the surface of the outer box,as shown in drawing Three.
(將外箱上層封口,如(圖三)所示)

The form on the right and flank side of the box must be filled correctly and clearly,take actual testing weight as the standard of each box gross weight.

外箱之正麥和側麥所要填寫之項目要填寫正確,清晰,每箱之毛重應以實測重量為準.

	1	2	3	4	5	6	7	8	9	10	11	12	
A	歐品電子(昆山)有限公司 OUPIIN ELECTRONIC(KUNSHAN) CO.,LTD. PACKAGING SPECIFICATION (包裝作業規範)												
B									☒CONFIDENTIAL ☐TOP SECRET				
	SPEC.NO.(規範編號)		Q9192SPP-1308						PAGE:	4/4	REV.	A	
	PACKING MATERIAL (包裝材料)			PRODUCT P/N	CT NO.	PACKING N.W.	PACKING QUANTITY (包裝數量)			WEIGHT (重量) kg			
C	MATERIAL NAME (材料名稱)	PART NO. (料號)	Q'TY	(產品料號)	(紙箱規格)	(包材重量)	PCS/TRAY	TRAY/BOX	PCS/BOX	N.W./PCS	N.W./BOX	G.W./BOX	
	PAPER BOXES (紙箱)	CT-0.5	1	9192-BBAB017	CT-0.5	3.98	24	4	96	0.0700	6.72	10.70	
	Packing Box (包裝盒)	PET-9192-016	5										
D	Packing Box Cover (包裝盒蓋子)	-----	0										
E	WATERPROOF BAG (防水袋)	-----	1										
	EPE (珍珠棉)	-----	2										
F													
	DRYING AGENT (干燥劑)	-----	3										
G													
H	1.NOTE: (注意) When the finished products have been made,take the actual weight as the standard of gross weight in each box. (成品出貨時,每箱之毛重應以實測重量為準) When the finished products have been made,stick the proper designation list on the box according to product demand (成品出貨時,依據出貨要求貼上相對應的標籤單)												
	1	2	3	4	5	6	7	8	9	10	11	12	