

歐品電子(昆山)有限公司

OUPIN ELECTRONIC(KUNSHAN) CO.,LTD.

PACKAGING SPECIFICATION (包 裝 作 業 規 范)

☒ CONFIDENTIAL ☐ TOP SECRET

SPEC.NO.(規範編號)	Q3011SPP-655					PAGE	1/5	REV.	F
APPLICABLE CUSTOMER (適用客戶)	ALL	APPLICABLE PRODUCT (適用產品)	3011-xxGxxSPB1A			PACKAGING CATEGORY (包裝方式)	TRAY PLATE PACKING		

REVISION HISTORY (修 訂 履 歷)

ECN REV. NO	PAGE (頁 次)				
	1	2	3	4	
C	Revise the packing materials P/N 修正包材料號				
D	Abandon CT-1.9 paper box 去掉CT-1.9規格紙箱				
E	Change the packaging one to count 更改包裝箱盘数量				30盘/箱改为28盘/箱
F	Correct the quantity per tray. 修正每盘数量				

DIVISION (事業單位)	Product Development (產品開發課)	APPROVED (核 准)		CHECKED (審 核)		PREPARED (制 表)	CCH4/12/25
--------------------	--------------------------------	-------------------	--	------------------	--	-------------------	------------


歐品電子(昆山)有限公司

OUPHIN ELECTRONIC(KUNSHAN) CO.,LTD.

PACKAGING SPECIFICATION (包 裝 作 業 規 范)

☒ CONFIDENTIAL ☐ TOP SECRET	
PAGE	2/5
REV.	F

SPEC.NO.(规范编号)	Q3011SPP-655
----------------	--------------

PACKING OPERATION DIAGRAM & INSTRUCTION (包装作业图示及说明)	REMARK (备注)
Laying Product Diagram: (产品摆放图示) 	一.PVC Plate Packing Mode: (PVC盘包装方式) (1).CT-1.6 Box: PET-077 30 PCS. (CT-1.6 规格的纸箱放PET-077盘 30 PCS) (2).Put product in each trough fully as shown in diagram. (产品在盘子中摆放方式如图所示) (3).After filling each trough with product fully,stack the xx PVC plates,cover it with transparent upper cover PVC-073 1PCS on the top. (每盘放满产品后叠起,在最上面加盖共用透明上盖 PVC-073 1PCS) (4).Stack the XX PET plates filled with product, put them in the paper box in which has been put waterproof bag. (将放满产品的XX个PET盘叠起,装入防水袋放入纸箱内)

歐品電子(昆山)有限公司

OUPIN ELECTRONIC(KUNSHAN) CO.,LTD.

PACKAGING SPECIFICATION (包裝作業規範)

☒ CONFIDENTIAL ☐ TOP SECRET

SPEC.NO.(規範編號) Q3011SPP-655

PAGE




3/5

REV.

F

PACKING OPERATION DIAGRAM & INSTRUCTION (包裝作業圖示及說明)

REMARK (備 注)



一.Outer Box Packing Mode:

(外箱包裝方式)

- (1).Paper box 1.6 standard 1 PCS,as shown in drawing Two.
(紙箱1.6規格 1 PCS:如(圖二)所示)
- (2).Put one Foam Board in the upper and lower of the paper box,,2PCS in all,as shown in drawing One.
(每箱上下各放一塊保麗龍,共2PCS , 如(圖一)所示)
- (3).Put 1 PCS waterproof in the paper box,as shown in drawing Two.
(紙箱內側放入防水袋 1 PCS.如(圖二)所示)
- (4).Piled the XX packing plates packed up in the waterproof.
(將放滿產品的XX個PET盤疊起,裝入防水袋內)
- (5).Seal the waterproof bag,then put the Foam Board 1PCS on the bag.
(Put 1 PCS Foam Board at the right and left side in the paper box if it is necessary.)
(封上防水袋,然後放上第二塊保麗龍薄板)
(必要時,在紙箱的左右兩側各放一塊保麗龍)
- (6).Seal the surface of the outer box,as shown in drawing Three.
(將外箱上層封口.如(圖三)所示)

The form on the right and flank side of the box must be filled correctly and clearly,take actual testing weight as the standard of each box gross weight.

外箱之正麥和側麥所要填寫之項目要填寫正確,清晰,每箱之毛重應以實測重量為準.

PACKAGING SPECIFICATION (包裝作業規範)

☒CONFIDENTIAL ☐TOP SECRET

F

WEIGHT (重量) kg

./BOX LC

16.69

10.57

18.8

18.77

16.93

17.23

14.33

(成品出貨時,依據出貨要求貼上相對應的標籤單)

	1	2	3	4	5	6	7	8	9	10	11	12	
A	歐品電子(昆山)有限公司												A
	OUIPIN ELECTRONIC(KUNSHAN) CO.,LTD.												
	PACKAGING SPECIFICATION (包裝作業規範)												
B									☒ CONFIDENTIAL ☐ TOP SECRET				B
	SPEC.NO.(規範編號)	Q3011SPP-655							PAGE:	5/5	REV.	F	
	PACKING MATERIAL (包裝材料)			PRODUCT P/N	CT NO.	PACKING N.W.	PACKING QUANTITY (包裝數量)			WEIGHT (重量) kg			
C	MATERIAL NAME (材料名稱)	PART NO. (料號)	Q*TY	(產品料號)	(紙箱規格)	(包材重量)	PCS/TRAY	TRAY/BOX	PCS/BOX	N.W./PCS	N.W./BOX	G.W./BOX	C
	PAPER BOXES (紙箱)	CT-1.6	1	3011-60G00SPB1A	CT-1.6	3.44	21	28	588	0.01924	10.98	14.33	
	Packing Box (包裝盒)	PET-077	----	3011-64G00SPB1A	CT-1.6	3.44	21	28	588	0.01935	10.97	14.41	D
D	Packing Box Cover (包裝盒蓋子)	PVC-073	----										D
E	WATERPROOF BAG (防水袋)	PE 100*70	1										E
F	Foam (保麗龍)	-----	2										F
	DRYING AGENT (干燥劑)	-----	3										
G													G
	1.NOTE: (注意)												
	When the finished products have been made,take the actual weight as the standard of gross weight in each box.												
H	(成品出貨時,每箱之毛重應以實測重量為準)												H
	When the finished products have been made,stick the proper designation list on the box according to product demand.												
	(成品出貨時,依據出貨要求貼上相對應的標籤單)												
	It doesn't influence the manner of packing with the gold-plated way to print word way,Can amalgamate.												
	(印字方式跟鍍金方式不影響包裝方式，可以共用)												
L	1	2	3	4	5	6	7	8	9	10	11	12	