

歐品電子(昆山)有限公司

OUPIN ELECTRONIC(KUNSHAN) CO.,LTD.

PACKAGING SPECIFICATION (包 裝 作 業 規 范)

☒ CONFIDENTIAL☐ TOP SECRET

PAGE	1/4	REV.	C
PACKAGING CATEGORY (包裝方式)		PE BAG PACKING	

SPEC.NO.(規範編號)		Q9192SPP-1302		
APPLICABLE CUSTOMER (適用客戶)	ALL	APPLICABLE PRODUCT (適用產品)	9192-ZBBNHA001	

REVISION HISTORY (修 訂 履 歷)

REV.	ECN NO	PAGE (頁 次)								
		1	2	3	4					
A		New (新版發行.)								
B		Update packaging method (更新包裝方式)								
C		Bulk updating to tray (散裝更新成盤裝)								

DIVISION (事業單位)	Product Development (產品開發課)	APPROVED (核 准)		CHECKED (審 核)		PREPARED (制 表)	XS 03/28'23
--------------------	----------------------------------	-------------------	--	------------------	--	-------------------	-------------

歐品電子(昆山)有限公司

OUPIN ELECTRONIC(KUNSHAN) CO.,LTD.

PACKAGING SPECIFICATION (包裝作業規範)

SPEC.NO.(規範編號) Q9192SPP-1302


CONFIDENTIAL TOP SECRET

PAGE 2/4 REV. C

PACKING OPERATION DIAGRAM & INSTRUCTION (包裝作業圖示及說明)

REMARK (備注)

Laying Product Diagram:
(產品擺放圖示)



PET-9192-018

Wrapping Film
缠绕膜

一.PET Plate Packing Mode:
(PET盤包裝方式)

(1).CT-0.5 Box:PET-9192-018 XX PCS.

(CT-0.5 規格的紙箱放盤PET-9192-018 XX PCS)

(2).Put product in each trough fully as shown in diagram.
(產品在盤子中擺放方式如圖所示)

(3).Wrap the 8pcs plates together with wrapping film to
avoid product scattering.
(將8pcs盤子使用缠绕膜包裹在一起，以免造成產品散落。)

歐品電子(昆山)有限公司

OUPIN ELECTRONIC(KUNSHAN) CO.,LTD.

PACKAGING SPECIFICATION (包裝作業規範)




☒ CONFIDENTIAL ☐ TOP SECRET

SPEC.NO.(規範編號) Q9192SPP-1302

PAGE 3/4 REV. C

PACKING OPERATION DIAGRAM & INSTRUCTION (包裝作業圖示及說明)

REMARK (備注)



一. Outer Box Packing Mode: (外箱包裝方式)

- (1). Paper box 0.5 standard 1 PCS, as shown in drawing Two.
(紙箱 0.5 規格 1 PCS, 如(圖二)所示)
- (2). Put one EPE in the upper and lower of the paper box, 2 PCS in all, as shown in drawing One.
(每箱上下各放一塊珍珠棉, 共 2 PCS, 如(圖一)所示)
- (3). Seal the waterproof bag, then put the EPE 1 PCS on the bag.
Put 1 PCS EPE at the right and left side in the paper box.
(封上防水袋, 然後放上第二塊珍珠棉, 在紙箱的左右兩側各放一塊珍珠棉.)
- (4). Seal the surface of the outer box, as shown in drawing Three.
(將外箱上層封口, 如(圖三)所示)

The form on the right and flank side of the box must be filled correctly and clearly, take actual testing weight as the standard of each box gross weight.

外箱之正麥和側麥所要填寫之項目要填寫正確, 清晰, 每箱之毛重應以實測重量為準.

歐品電子(昆山)有限公司

OUPHIN ELECTRONIC(KUNSHAN) CO.,LTD.

PACKAGING SPECIFICATION (包裝作業規範)

CONFIDENTIAL TOP SECRET

PAGE: 4/4 REV. C

SPEC.NO.(規範編號)			Q9192SPP-1302								
PACKING MATERIAL (包裝材料)			PRODUCT P/N		CT NO.	PACKING N.W.	PACKING QUANTITY (包裝數量)			WEIGHT (重量) kg	
MATERIAL NAME (材料名稱)	PART NO. (料號)	Q'TY	(產品料號)	(紙箱規格)	(包材重量)	PCS/TRAY	TRAY/BOX	PCS/BOX	N.W./PCS	N.W./BOX	G.W./BOX
PAPER BOXES (紙箱)	CT-0.5	1	9192-ZBBNHA001	CT-0.5	3.98	60	7	420	0.0120	5.05	9.03
Packing Box (包裝盒)	PET-9192-018	8									
Packing Box Cover (包裝盒蓋子)	-----	0									
WATERPROOF BAG (防水袋)	-----	1									
EPE (珍珠棉)	-----	2									
DRYING AGENT (干燥劑)	-----	3									

1.NOTE:
(注意)
When the finished products have been made,take the actual weight as the standard of gross weight in each box.
(成品出貨時,每箱之毛重應以實測重量為準)
When the finished products have been made,stick the proper designation list on the box according to product demand
(成品出貨時,依據出貨要求貼上相對應的標籤單)